



ÇAĞRI[®]
ENDÜSTRİ A.Ş.

DAĞITICI/DISTRIBUTOR/DISTRIBUTEUR

ALHAN[®]

HAZIR KONVEYÖR ELEMANLARI
CONVEYOR COMPONENTS
COMPOSANTS DE CONVOYEUR




ISO: 9001:2000



HAZIR TASARIM

Modular Design
Architecture Modulaire



*Makaralı Esnek Konveyör
Skate Wheel Flexible Conveyor
Convoyeur Flexible à Roues*

*Esnek Yükseklik
Flexible Height
Hauteur Flexible*

ESNEK KONVEYÖR


*Flexible Conveyor
Convoyeur Flexible*



Tekerlek/Caster/Roue



Durdurucu/Stopper/Tampon





Ayak/Feet/Pied



Bağlantı/Connector/Raccord



03/2009

TEK RULOLU ESNEK KONVEYÖR SINGLE ROLLER FLEXIBLE CONVEYOR CONVOYEURS A SIMPLES ROULEAUX FLEXIBLES

TİPİ TYPE		Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)			Ağırlık Weight Poids (kg)
Hafif Tip/Light Type Type de Poids Léger	KTY-400RGL-3	60	400	1275-3375	650-900	145	B x 4	75
	KTY-400RGL-4	60	400	1700-4500	650-900	145	B x 5	90
	KTY-400RGL-5	60	400	2125-5625	650-900	145	B x 6	120
	KTY-500RGL-3	60	500	1275-3375	650-900	145	B x 4	78
	KTY-500RGL-4	60	500	1700-4500	650-900	145	B x 5	104
	KTY-500RGL-5	60	500	2125-5625	650-900	145	B x 6	130
	KTY-600RGL-3	60	600	1275-3375	650-900	145	B x 4	81
	KTY-600RGL-4	60	600	1700-4500	650-900	145	B x 5	108
KTY-600RGL-5	60	600	2125-5625	650-900	145	B x 6	135	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500RGH-3	100	500	1425-3375	650-800	145	B x 4	90
	KTY-500RGH-4	100	500	1900-4500	650-800	145	B x 5	12
	KTY-500RGH-5	100	500	2375-5625	650-800	145	B x 6	150
	KTY-600RGH-3	100	600	1425-3375	650-800	145	B x 4	96
	KTY-600RGH-4	100	600	1900-4500	650-800	145	B x 5	18
	KTY-600RGH-5	100	600	2375-5625	650-800	145	B x 6	160
	KTY-700RGH-3	100	700	1425-3375	650-800	145	B x 4	102
	KTY-700RGH-4	100	700	1900-4500	650-800	145	B x 5	136
KTY-700RGH-5	100	700	2375-5625	650-800	145	B x 6	170	





MAKARALI ESNEK KONVEYÖR SKATE WHEEL FLEXIBLE CONVEYOR CONVOYEURS A ROULETTES FLEXIBLES

TİPİ TYPE		Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)			Ağırlık Weight Poids (kg)
Hafif Tip/Light Type Type de Poids Léger	KTY-400WGL-3	60	400	950-3375	650-900	4 x 5	B x 4	60
	KTY-400WGL-4	60	400	1250-4500	650-900	4 x 5	B x 5	80
	KTY-400WGL-5	60	400	1600-5625	650-900	4 x 5	B x 6	100
	KTY-500WGL-3	60	500	950-3375	650-900	5 x 6	B x 4	63
	KTY-500WGL-4	60	500	1250-4500	650-900	5 x 6	B x 5	83
	KTY-500WGL-5	60	500	1600-5625	650-900	5 x 6	B x 6	105
	KTY-600WGL-3	60	600	950-3375	650-900	6 x 7	B x 4	66
	KTY-600WGL-4	60	600	1250-4500	650-900	6 x 7	B x 5	88
KTY-600WGL-5	60	600	1600-5625	650-900	6 x 7	B x 6	110	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500WGH-3	100	500	1425-3375	650-800	5 x 6	B x 4	75
	KTY-500WGH-4	100	500	1900-4500	650-800	5 x 6	B x 5	100
	KTY-500WGH-5	100	500	2375-5625	650-800	5 x 6	B x 6	125
	KTY-600WGH-3	100	600	1425-3375	650-800	6 x 7	B x 4	81
	KTY-600WGH-4	100	600	1900-4500	650-800	6 x 7	B x 5	108
	KTY-600WGH-5	100	600	2375-5625	650-800	6 x 7	B x 6	135
	KTY-700WGH-3	100	700	1425-3375	650-800	7 x 8	B x 4	87
	KTY-700WGH-4	100	700	1900-4500	650-800	7 x 8	B x 5	116
KTY-700WGH-5	100	700	2375-5625	650-800	7 x 8	B x 6	145	



ÇİFT RULOLU ESNEK KONVEYÖR TWIN ROLLER FLEXIBLE CONVEYOR CONVOYEURS A DOUBLES ROULEAUX FLEXIBLES



TİPİ TYPE		Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)			Ağırlık Weight Poids (kg)
Hafif Tip/Light Type Type de Poids Léger	KTY-400TGL-3	60	400	1275-3375	650-900	145	B x 4	75
	KTY-400TGL-4	60	400	1700-4500	650-900	145	B x 5	100
	KTY-400TGL-5	60	400	2125-5625	650-900	145	B x 6	125
	KTY-500TGL-3	60	500	1275-3375	650-900	145	B x 4	78
	KTY-500TGL-4	60	500	1700-4500	650-900	145	B x 5	104
	KTY-500TGL-5	60	500	2125-5625	650-900	145	B x 6	130
	KTY-600TGL-3	60	600	1275-3375	650-900	145	B x 4	81
	KTY-600TGL-4	60	600	1700-4500	650-900	145	B x 5	128
KTY-600TGL-5	60	600	2125-5625	650-900	145	B x 6	135	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500TGH-3	100	500	1425-3375	650-800	145	B x 4	90
	KTY-500TGH-4	100	500	1900-4500	650-800	145	B x 5	120
	KTY-500TGH-5	100	500	2375-5625	650-800	145	B x 6	150
	KTY-600TGH-3	100	600	1425-3375	650-800	145	B x 4	96
	KTY-600TGH-4	100	600	1900-4500	650-800	145	B x 5	128
	KTY-600TGH-5	100	600	2375-5625	650-800	145	B x 6	160
	KTY-700TGH-3	100	700	1425-3375	650-800	145	B x 4	102
	KTY-700TGH-4	100	700	1900-4500	650-800	145	B x 5	136
KTY-700TGH-5	100	700	2375-5625	650-800	145	B x 6	170	



Özel üretim yapılır. / On request by manufactured.
 Réalisation sur commande.



TAHRİK RULOLU ESNEK KONVEYÖR POWERED SINGLE ROLLER FLEXIBLE CONVEYOR CONVOYEURS A SIMPLES ROULEAUX FLEXIBLES SOUS TENSION




TİPİ TYPE	Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)	 max. p (mm)	 B	Ağırlık Weight Poids (kg)	
Hafif Tip/Light Type Type de Poids Léger	KTY-400RPL-3	60	400	1425-3375	650-900	145	B x 4	90
	KTY-400RPL-4	60	400	1900-4500	650-900	145	B x 5	120
	KTY-400RPL-5	60	400	2375-5625	650-900	145	B x 6	150
	KTY-500RPL-3	60	500	1425-3375	650-900	145	B x 4	96
	KTY-500RPL-4	60	500	1900-4500	650-900	145	B x 5	128
	KTY-500RPL-5	60	500	2375-5625	650-900	145	B x 6	160
	KTY-600RPL-3	60	600	1425-3375	650-900	145	B x 4	102
	KTY-600RPL-4	60	600	1900-4500	650-900	145	B x 5	136
KTY-600RPL-5	60	600	2375-5625	650-900	145	B x 6	170	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500RPH-3	100	500	1425-3375	650-800	145	B x 4	96
	KTY-500RPH-4	100	500	1900-4500	650-800	145	B x 5	128
	KTY-500RPH-5	100	500	2375-5625	650-800	145	B x 6	160
	KTY-600RPH-3	100	600	1425-3375	650-800	145	B x 4	105
	KTY-600RPH-4	100	600	1900-4500	650-800	145	B x 5	140
	KTY-600RPH-5	100	600	2375-5625	650-800	145	B x 6	175
	KTY-700RPH-3	100	700	1425-3375	650-800	145	B x 4	114
	KTY-700RPH-4	100	700	1900-4500	650-800	145	B x 5	152
KTY-700RPH-5	100	700	2375-5625	650-800	145	B x 6	190	



TAHRİKLİ MAKARALI ESNEK KONVEYÖR POWERED SKATE WHEEL FLEXIBLE CONVEYOR CONVOYEURS A ROULETTES FLEXIBLES SOUS TENSION



TİPİ TYPE	Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)	 max. p (mm)	 B	Ağırlık Weight Poids (kg)	
Hafif Tip/Light Type Type de Poids Léger	KTY-400WPL-3	60	400	1425-3375	650-900	4 x 5	B x 4	60
	KTY-400WPL-4	60	400	1900-4500	650-900	4 x 5	B x 5	80
	KTY-400WPL-5	60	400	2375-5625	650-900	4 x 5	B x 6	100
	KTY-500WPL-3	60	500	1425-3375	650-900	5 x 6	B x 4	63
	KTY-500WPL-4	60	500	1900-4500	650-900	5 x 6	B x 5	83
	KTY-500WPL-5	60	500	2375-5625	650-900	5 x 6	B x 6	105
	KTY-600WPL-3	60	600	1425-3375	650-900	6 x 7	B x 4	66
	KTY-600WPL-4	60	600	1900-4500	650-900	6 x 7	B x 5	88
KTY-600WPL-5	60	600	2375-5625	650-900	6 x 7	B x 6	110	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500WPH-3	100	500	1425-3375	650-800	5 x 6	B x 4	90
	KTY-500WPH-4	100	500	1900-4500	650-800	5 x 6	B x 5	120
	KTY-500WPH-5	100	500	2375-5625	650-800	5 x 6	B x 6	150
	KTY-600WPH-3	100	600	1425-3375	650-800	6 x 7	B x 4	93
	KTY-600WPH-4	100	600	1900-4500	650-800	6 x 7	B x 5	124
	KTY-600WPH-5	100	600	2375-5625	650-800	6 x 7	B x 6	155
	KTY-700WPH-3	100	700	1425-3375	650-800	7 x 8	B x 4	96
	KTY-700WPH-4	100	700	1900-4500	650-800	7 x 8	B x 5	128
KTY-700WPH-5	100	700	2375-5625	650-800	7 x 8	B x 6	160	

TAHRİKLİ ÇİFT RULOLU ESNEK KONVEYÖR POWERED TWIN ROLLER FLEXIBLE CONVEYOR CONVOYEURS A DOUBLES ROULEAUX FLEXIBLES SOUS TENSION



TİPİ TYPE	Kapasite Capacity Capacité (Kg/m)	Genişlik Width Largeur (mm)	Uzunluk Length Longueur (mm)	Yükseklik Height Hauteur (mm)	 max. p (mm)	 B	Ağırlık Weight Poids (kg)	
Hafif Tip/Light Type Type de Poids Léger	KTY-400TPL-3	60	400	1425-3375	650-900	145	B x 4	90
	KTY-400TPL-4	60	400	1900-4500	650-900	145	B x 5	120
	KTY-400TPL-5	60	400	2375-5625	650-900	145	B x 6	150
	KTY-500TPL-3	60	500	1425-3375	650-900	145	B x 4	96
	KTY-500TPL-4	60	500	1900-4500	650-900	145	B x 5	128
	KTY-500TPL-5	60	500	2375-5625	650-900	145	B x 6	160
	KTY-600TPL-3	60	600	1425-3375	650-900	145	B x 4	102
	KTY-600TPL-4	60	600	1900-4500	650-900	145	B x 5	136
KTY-600TPL-5	60	600	2375-5625	650-900	145	B x 6	170	
Ağır Tip/Heavy Type Type de Poids Lourd	KTY-500TPH-3	100	500	1425-3375	650-800	145	B x 4	96
	KTY-500TPH-4	100	500	1900-4500	650-800	145	B x 5	128
	KTY-500TPH-5	100	500	2375-5625	650-800	145	B x 6	160
	KTY-600TPH-3	100	600	1425-3375	650-800	145	B x 4	105
	KTY-600TPH-4	100	600	1900-4500	650-800	145	B x 5	140
	KTY-600TPH-5	100	600	2375-5625	650-800	145	B x 6	175
	KTY-700TPH-3	100	700	1425-3375	650-800	145	B x 4	114
	KTY-700TPH-4	100	700	1900-4500	650-800	145	B x 5	152
KTY-700TPH-5	100	700	2375-5625	650-800	145	B x 6	190	

KULLANIM ALANLARI
USED PLACED / LIEUX D'UTILISATION:

- **İç Taşımada**
Internal Transportation/Transport Interne
- **Besin Endüstrisinde**
Food Industry/Société d'Alimentation
- **Malzeme İletiminde**
Material Handling/Transport de Matériel
- **Dağıtım Merkezlerinde**
Distribution Center/Centre de Distribution
- **Paketleme Hatlarında**
Packing Line/Série d'Emballage



- ❖ **Sonsuz Uzunluk/Infinite Length/Longueur Infinie**
- ❖ **Mükemmel Esneklik/Excellent Flexibility/Excellente Flexibilité**
- ❖ **Dar Alanda Uygun Çözüm/Suitable Solution For Tight Area**
Solution Appropriate Dans Un Espace Restreint
- ❖ **Kolay Montaj/Easy Assembly/Facile à Monter**
- ❖ **Uzun Ömür/Long Life Duration/Résistance de Longue Durée**
- ❖ **Taşınabilir/Removable/Transportable**
- ❖ **Ekonomik Fiyat/Economic Price/Prix Economique**

ALHAN®

YETKİLİ SATICI/DİSTRİBÜTÖR/DİSTRİBÜTEUR



ÇAĞRI®
ENDÜSTRİ A.Ş.
DAĞITICI/DİSTRİBÜTÖR/DİSTRİBÜTEUR

Davutpaşa Cad. Nu: 14/1 34010 Topkapı - İSTANBUL - TÜRKİYE
Tel: +90 212 444 00 42 - 544 50 55
Belgegeçer (Fax): +90 212 567 14 16 - 501 54 08
www.alhan-cagri.com e-posta (e-mail): info@alhan-cagri.com
www.esnekkonveyor.com